





Model	LC1P65FE-2
Engine type	Single cylinder, Air cooled, 4-stroke, OHV
Displacement	166cc
Net power	2.9kW/3600r/min
Bore x Stroke	65mm×50mm
Net torque	9.5/2500Nm / r / min
Starting system	Recoil/Electric
Lubrication system	Splash
Air filter	Sponge filter element
Engine oil capacity	0.5L
Fuel tank capacity	1.0kg
Net weight	9.0kg
Dimension	385mm×340mm×250mm




曲轴箱 (CRANK CASE)

序号	零部件件号	零部件名称	Description	规格状态	数量	易损属性
No.	Part No.				Reqd. QTY	CONSUMABLE GRADE
1			Hexagon shaft shoulder bolt	T370_M6×16.5(Φ8×3.5);镀蓝白锌Q16	5	C
2	120230260-0001	气缸头盖	Cylinder head cover	T323_B款;打胶_镀蓝白锌Q16	1	C
3			Side plate	T327;箱体右侧护罩;	1	C
4	270960014-0001	火花塞	Spark plug	F7RTC_无干扰;	1	A
5			Crankcase body	T327;	1	B
6			Oil seal	T320_d=25_D=38_b=7;	1	B
7			Hexagon bolt with flange	GB/T_5789_M6_L=12;镀蓝白锌Q16	3	C
8			CAP, BREATHER CHAMBER	T327;	1	C
9			PACKING, BREATHER CHAMBER	T327;通机变更单号TJGGBG2020006	1	A
10			Leaf valve	T327;Cr3+钝化	1	B
11			Hexagon bolt with flange	GB/T_5789_M6_L=8;镀蓝白锌Q16	1	C
12			Stay stud	T323_M6_L=72;镀蓝白锌Q16	1	C
13			Stay stud	T321_M6_L=78;镀蓝白锌Q16	2	C
14			Stud	T302_M6_L=70.5;镀蓝白锌Q16	2	C




曲轴箱盖 (Crankcase cover)

序号 No.	零部件件号 Part No.	零部件名称	Description	规格状态	数量	易损属性
					Reqd. QTY.	CONSUMABLE GRADE
1			Hexagon bolt with flange	GB/T 5789 M6 L=25; 镀蓝白锌Q16	9	C
2			Crankcase cover	T327; 通机规格变更单FM202205250360	1	C
3	380650893-0001	油封	Oil seal	T327 d=25.4 D=41.25 b=6 丙烯酸脂CII; 满足REAC	1	B
4			Speed regulating arm	T327;	1	B
5			Flat washer	T05K T21 内径6 外径13 厚度1 65Mn; 氧化Q07	1	C
6			Oil seal	T320 d=6 D=11 b=4;	1	B
7			Pin clip	T040 调速臂用;	1	A
8			ocation pin	T323 d=6 L=16;	2	C
9			Components of governor gear	T327 直齿;	1	B
10			Hexagon bolt with flange	GB/T 16674.1 M5 L=12; 镀蓝白锌Q16	1	C




配气机构 (CAMSHAFT)

序号 No.	零部件件号 Part No.	零部件名称	Description	规格状态	数量	易损属性
					Reqd. QTY.	CONSUMABLE GRADE
1			Valve rocker combination	T323;	2	B
2			Plate, push rod guide	T323;通机工程更改通知单号2017-0180_镀蓝白锌Q	1	B
3			Push rod	T302 长127.5 整体实芯;	2	B
4			Lifter, Valve	T290;含Hg/Cr6/Pb/PBB/PBDE≤1000ppm, Cd≤100pp	2	B
5			Camshaft assy	T327_直齿;	1	B
6			Retainer, valve spring	T320 排气门用;	2	B
7			Inner spring of valve	T322 7圈;含Hg/Cr6/Pb/PBB/PBDE≤1000ppm, Cd≤1	2	B
8			Valve oil seal	T05K;含Hg/Cr6/Pb/PBB/PBDE≤1000ppm, Cd≤100pp	2	B
9			Valve Kit	T320;	1	B



化油器 (CARBURETOR)

[illegible]



油箱 (FUEL TANK)	
----------------	--

[illegible]