





Model	LC1P85FA
Engine type	Single cylinder, Air cooled, 4-
Displacement	352cc
Net power	7.2kW/3600r/min
Bore x Stroke	85mm×62mm
Net torque	21/2400Nm / r / min
Starting system	Electric
Lubrication system	Splash
Air filter	Half dry, dual-filter element
Engine oil capacity	0.8L
Net weight	23.5kg
Dimension	404mm×371mm×304mm




气缸头 (CYLINDER HEAD)

序号 No.	零部件图号 Part No.	零部件名称	Description	规格状态	数量	易损属性
					Reqd. QTY	CONSUMABLE GRADE
1			Hexagon bolt with flange	GB/T 5789_M6_L=25;镀蓝白锌Q16	4	C
2			Cylinder head cover	T440_铝合金;	1	C
3	120250051-0001	气缸头盖密封垫	Gasket for cylinder head cover	T440_interface(N-8092);	1	A
4			Hexagon bolt with flange	T440_M10×1.25_L=65_缸头连接螺栓	6	C
5			Cylinder head	T440;	1	B
6	120150267-0001	气缸头密封垫	Gasket for cylinder head	T440_石墨_钢圈加宽;	1	A
7			ocation pin	T110_d=12_L=20;	2	C
8	270960028-0002	火花塞	Spark plug	RC12YC;Cr3+钝化	1	A
9			Outlet gasket	T370_石墨;	1	A
10			Stud	T180_M6/8_L=130;镀蓝白锌Q16	2	C
11			Hexagon bolt with flange	T320_M8_L=50;镀蓝白锌Q16	1	C
12			Flat washer	T440_内径10.5_外径22_厚度2.5;氧	1	C
13			air deflector	T441;镀蓝白锌Q16	1	C




曲轴箱 (CRANKCASE)

序号 No.	零部件图号 Part No.	零部件名称	Description	规格状态	数量	易损属性
					Reqd. QTY	CONSUMABLE GRADE
1			Breather tube	T440_异型_丙烯酸脂_废气管;满足REACH要求	1	A
2			Pipe clip	T440_通气管;	1	A
3	110830060-0001	曲轴箱盖密封垫	Crankcase cover gasket	T440;	1	A
4			Speed regulating bracket	T440;带方头平端紧定螺钉/六角法兰面螺母_不带防	1	C
5			Pin clip	T040_调速臂用;	1	A
6			Oil seal	T320_d=6_D=11_b=4;	1	B
7			Flat washer	T05K_T21_内径6_外径13_厚度1_65Mn;氧化Q07	1	C
8			Speed regulating arm	T320;表面振动抛光	1	B
9			Crankcase body	T440_机油尺安装孔为通孔,簧片阀状态;	1	B
10			Oil seal	T110_d=35_D=52_b=7;含Hg/Cr6/Pb/PBB/PBDE≤100	1	B
11			Hexagon bolt with flange	GB/T 5789 M6 L=16;镀蓝白锌Q16	4	C
12			Pressing plate	T440;镀蓝白锌Q16	1	C
13			CAP, BREATHER CHAMBER	T441_取消焊接;镀蓝白锌 Q16	1	C
14			PACKING, BREATHER CHAMBER	T441_无石棉软木橡胶板_取消呼吸片孔;	1	A
15			Leaf valve	T370_压板加厚;Cr3+钝化	1	B
16			Lifting eye	T441;	1	C
17			Hexagon bolt with flange	GB/T 16674.1_M8_L=20;镀蓝白锌Q16	1	C
18			Bearing	GB/T 276_16003;	1	B




曲轴箱盖 (CRANKCASE COVER)

序号 No.	零部件图号 Part No.	零部件名称	Description	规格状态	数量 Reqd. QTY	易损属性 CONSUMABLE GRADE
1			Hexagon bolt with flange	T370_M8_L=35_S=12;镀蓝白	9	C
2	380650337-0001	油封	Oil seal	T110_d=35_D=52_b=7;含Hg/	1	B
3			Crankcase cover	T440;	1	C
4			ocation pin	T110_d=8_L=12;	4	C
5			Sealing plug screw	T410_3/8-18NPTF_尼龙_带密	1	C
6			Governor gear pressing plat	T320;	1	C
7			Components of governor gear	T440;	1	B
8			Hexagon bolt with flange	GB/T 5789_M6_L=25;镀蓝白	1	C
9	110690088-0001	机油尺组合	Oil rule combination	T440_机油尺_带密封圈,带污	1	B
10			Hexagon bolt with flange	GB/T 5789_M6_L=20;镀蓝白	1	C




曲轴/活塞 (CRANKSHAFT/PISTON)

序号	零部件图号	零部件名称	Description	规格状态	数量	易损属性
No.	Part No.				Reqd. QTY	CONSUMABLE GRADE
1			Piston ring combination	T441_B款, 一二环槽宽1.2;	1	A
2			Piston	T440_B款;	1	A
3			Steel cable baffle ring	T110_活塞销挡圈;	2	B
4			Piston pin	T430;	1	C
5			Connecting rod	T441;	1	B
6			crankshaft	T440_A轴_钢;	1	B
7			Balancing shaft	T440;	1	B
8			Flat washer	T370_内径17.4_外径30_厚度1	1	B
9			Connecting rod bolt	T441;	2	C
10			Key	GB/T1095_L=54_6×6.3_A型;	1	B




配气机构 (GAS DISTRIBUTION ADJUSTMENT)

序号 No.	序号	零部件图号	Description	规格状态	数量	易损属性
	No.	Part No.			Reqd. QTY	CONSUMABLE GRADE
1			Valve rocker combinati	T381;螺栓螺母取消发黑处理	2	B
2			Plate, push rod guide	T370;镀蓝白锌Q16	1	B
3			Push rod	T440;	2	B
4			Lifter, Valve	T110;含Hg/Cr6/Pb/PBB/PBDE	2	B
5			Valve adjustment cap	T110;含Hg/Cr6/Pb/PBB/PBDE	2	B
6			Valve locker	T11D;含Hg/Cr6/Pb/PBB/PBDE	4	B
7			Retainer, valve spring	T11D_锁夹状态(通机)_排气门	2	B
8			Inner spring of valve	T11D_调软状态;含Hg/Cr6/Pb	2	B
9			Valve oil seal	T110;含Hg/Cr6/Pb/PBB/PBDE	2	B
10			Seat, valve spring	T110;含Hg/Cr6/Pb/PBB/PBDE	2	B
11			Valve Kit	T370;	1	B
12			Camshaft assy	T440_B;	1	B




挡风罩 (BLOWER HOUSING)

[illegible]




化油器 (CARBURETOR)

序号 No.	序号 No.	零部件图号 Part No.	Description	规格状态	数量	易损属性
					Reqd. QTY	CONSUMABLE GRADE
1			Carburetor gasket	T440 进气管密封垫;	1	A
2			Heat insulating pad for carburetor	T440 酚醛树脂PF;	1	B
3	170430164-0001	化油器密封垫	Carburetor gasket	T440 化油器与空气导流	2	A
4	170021922-0002	化油器	Carburetor	T441 带油泵 防篡改, 金	1	B
5	170430173-0002	化油器密封垫	Carburetor gasket	T440 氟橡胶 空滤器垫;	1	A
6			Clip combination	T400 Φ11.5; 达克铬Q19	6	A
7			Oil tube	T370 内径6.35 外径12.	1	A
8	170010018-0001	燃油滤清器	Fuel filter	T370;	1	A
9			Bolt, Flange	GB/T 5789 M6 L=16; 镀	2	C
10	170460026-0001	汽油泵	Gasoline pump	T381 B款 焊接外壳; 满	1	B
11				T400 内径6.35 外径12.	1	A
12				T381 内径6.35 外径12.	1	A
13				GB/T 5789 M6 L=20; 镀	2	C
14				T440;	1	C




飞轮 点火器 (FLYWHEEL/IGNITION COMP)

序号 No.	序号	零部件图号	Description	规格状态	数量	易损属性
	No.	Part No.			Reqd. QTY	CONSUMABLE GRADE
1			Hexagon nut with flange	T381_不带防滑齿_M16×1.5;镀蓝白锌Q16	1	C
2			Starting disc	T370;镀蓝白锌Q16	1	C
3			Impeller	T370;	1	B
4			FLYWHEEL COMP	T440;	1	B
5			Hexagon bolt with flange	GB/T 5789_M6_L=30;镀蓝白锌Q16	4	C
6	270190053-0002	充电线圈部件	Components of charging	T440_B款;满足REACH要求	1	A
7	270920308-0002	点火线圈	COIL ASSY., IGNITION	T440_抗干扰,带5kΩ金属屏蔽帽;满足REACH要求	1	A
8			Connecting wire	T370_尼龙端子;满足REACH要求	1	A
9			Hexagon bolt with flange	GB/T 5789_M6_L=16;镀蓝白锌Q16	2	C
10	270880173-0002	调压整流器	Rectifier Variable voltage regulator	T440;满足REACH要求	1	A
11			Hexagon bolt with flange	GB/T 5789_M8_L=80_S=12;镀蓝白锌Q16	2	C
12	270360094-0004	起动电机部件	Components of starting	T440_单向器复位弹簧力值加大;满足REACH要求	1	B
13			rectifier voltage regulator	T440;	1	C



空滤器 (AIR CLEANER)

[illegible]



调速控制 (CONTROL)

[illegible]