





Modello	LC1P92F-1
Tipo di motore	Monocilindrico, Raffreddato ad aria, 4 tempi, OHV
Spostamento	452cc
Potenza netta	9,2 kW/3600 giri/min
Alesaggio x corsa	92 millimetri×68 millimetri
Coppia netta	27/2600Nm/giro/min
Sistema di avviamento	Elettrico
Sistema di lubrificazione	Spruzzo+Pressione
Filtro dell'aria	Elemento filtrante doppio
Capacità olio motore	1,2 litri
Peso netto	31kg
Dimensione	432 mm×388 mm×300 mm




气缸头 (Gear Box Assy)

序号	零部件件号	零部件名称	Description	规格状态	数量	易损属性
No.	Part No.				Reqd. QTY	CONSUMABLE GRADE
1			ocation pin	T110_d=12_L=20;	2	C
2	120150146-0001	气缸头密封垫	Gasket for cylinder head	T380_石墨;	1	A
3			Stud	T370_M6/8_L=138;镀蓝白锌Q16	2	C
4			Cylinder head	T381_B款_增加导流罩安装孔;	1	B
5	270960028-0002	火花塞	Spark plug	RC12YC;Cr3+钝化	1	A
6			Hexagon bolt with flange	T370_M10×1.25_L=85;镀蓝白锌Q16	4	C
7	120250079-0001	气缸头盖密封垫	Gasket for cylinder head cover	T381_9016;	1	A
8			Cylinder head cover assy	T381_铝合金;	1	C
9			Hexagon shaft shoulder bolt	T370_M6×16.5(Φ8×3.5);镀蓝白锌Q16	4	C




导风部件 (Blower Housing)

序号	零部件件号	零部件名称	Description	规格状态	数量	易损属性
No.	Part No.				Reqd. QTY	CONSUMABLE GRADE
1			Impeller	T381;	1	B
2			Starting disc	T370;镀蓝白锌Q16	1	C
3			Hexagon nut with flange	T381_不带防滑齿_M16×1.5;镀蓝白锌Q16	1	C
4			Hexagon shaft shoulder bolt	T390_M6×21.8(Φ8×10.8);镀蓝白锌Q16	1	C
5			air deflector	T381_2#;	1	B
6			Hexagon bolt with flange	GB/T 5789_M6_L=12;镀蓝白锌Q16	1	C
7			Lifting eye	T441;	2	C
8			Hexagon shaft shoulder bolt	T370_M6×16.5(Φ8×3.5);镀蓝白锌Q16	2	C
9	160210046-0001	风扇罩部件	Fan cover comp.	T381;	1	B
10			Bolt, Hexagonal	T390_M6×16.8(Φ8×5.8);镀蓝白锌Q16	1	C
11			Starter outer cover	T381;黑坯	1	B




点火系统（Flywheel1）

序号	零部件件号	零部件名称	Description	规格状态	数量	易损属性
No.	Part No.				Reqd. QTY	CONSUMABLE GRADE
1	270880173-0001	调压整流器	RectifierVariable vol	T440;	1	A
2			Hexagon bolt with fla	GB/T 5789_M6_L=12;镀蓝白锌Q16	2	C
3			Connecting wire	T370_尼龙端子;满足REACH要求	1	A
4	270190031-0001	充电线圈部件	Components of chargin	T381_尼龙端子;	1	A
5			Hexagon bolt with fla	GB/T 5789_M6_L=30;镀蓝白锌Q16	4	C
6			FLYWHEEL COMP	T370_取消磁钢护板;	1	B
7			Hexagon bolt with fla	GB/T 5789_M6_L=25;镀蓝白锌Q16	2	C
8	270920251-0004	点火线圈	COIL ASSY., IGNNTION	T370_抗干扰, 带5kΩ金属屏蔽帽;尼龙端子	1	B
9			Location wire nail	T381_燕尾卡;	1	B




调速控制系统 (Governor)

序号	零部件件号	零部件名称	Description	规格状态	数量	易损属性
No.	Part No.				Reqd. QTY	CONSUMABLE GRADE
1			Hexagon bolt with flange	GB/T 5789_M6_L=16; 镀蓝白锌Q16	1	C
2			Throttle handle combinat	T370_B款, 螺母紧固;	1	B
3			Hexagon bolt with flange	GB/T 5789_M6_L=14; 镀蓝白锌Q16	2	C
4	171600020-0001	调速弹簧	Governing spring	T370;	1	A
5			Hexagon nut with flange	GB/T 6177.1_不带防滑齿_M6; 镀蓝白锌Q16	1	C
6			Speed regulating bracket	T370; 带方头平端紧定螺钉/六角法兰面螺母_不带防	1	C
7			Square head set screw wi	T040_M6_L=21 (13mm); 调速支架固定	1	C
8			Throttle rod	T370;	1	B
9			Choke valve bar	T370;	1	B
10			Hexagon shaft shoulder b	T370_M6×15 (Φ10×1.8); 镀蓝白锌Q16	1	C
11			Choke valve bracket	T370;	1	C
12			Choke valve pull rod	T370;	1	B




化油器 (Carburetor With Pump)

序号	2	零部件名称	Description	规格状态	数量	易损属性
No.	Part No.				Reqd. QTY	CONSUMABLE GRADE
1	170021557-0001	化油器	Carburetor	T381_CARB状态_不带电磁阀, 防篡改_针阀座直径1.2mm; 清	1	B
2	170430173-0001	化油器密封垫	Carburetor gasket	T440_氟橡胶_空滤器垫; 红色	1	B
3	170430099-0001	化油器密封垫	Carburetor gasket	T370_interface(N-8092)材料_化油器与空气导流罩之间	2	A
4			air deflector	T381_1#;	1	C
5			Heat insulating pad for	T370;	1	B
6			Carburetor gasket	T370_interface(N-8092)材料_进气管密封垫;	1	A
7			Hexagon bolt with flang	GB/T 5789_M6_L=12; 镀蓝白锌Q16	1	C
8			Pipe clip	T370_Φ11_油管卡圈;	2	A
9	170010018-0001		Fuel filter	T370;	1	A
10			Oil tube	T370_内径6.35_外径12.7_长105_CARB状态; 带EPA认证标	1	A
11			Hexagon bolt with flang	GB/T 5789_M6_L=16; 镀蓝白锌Q16	2	C
12	170460026-0001		Gasoline pump	T381_B款_焊接外壳;	1	B
13			Oil tube	T370_内径6.5_外径11_长380_汽油泵通气管; 满足ROHS要	1	A
14			Pipe clip	T370_B款_通气管;	1	A
15			Oil tube	T320_内径6.35_外径12.7_长285_防渗透_CARB状态; 带EP	1	A
16			Hexagon bolt with flang	GB/T 5789_M6_L=20; 镀蓝白锌Q16	2	C
17			Gasoline pump bracket	T370_带加强筋;	1	C
18			Clip combination	T400_Φ11.5; 达克罗Q19_满足REACH要求	4	A




配气机构 (Valve)

序号 No.	零部件件号 Part No.	零部件名称	Description	规格状态	数量	易损属性
					Reqd. QTY	CONSUMABLE GRADE
1			Valve Kit	T381;	1	B
2			Seat, valve spring	T110; 含Hg/Cr6/Pb/PBB/PBDE≤1000ppm, Cd≤100ppm	1	B
3			Valve oil seal	T110; 含Hg/Cr6/Pb/PBB/PBDE≤1000ppm, Cd≤100ppm	2	B
4			Inner spring of val	T11D_调软状态; 含Hg/Cr6/Pb/PBB/PBDE≤1000ppm, Cd≤100ppm	2	B
5			Retainer, valve spr	T11D_锁夹状态(通机)_排气门用; 含Hg/Cr6/Pb/PBB/PBDE≤1000ppm	2	B
6			Valve locker	T11D; 含Hg/Cr6/Pb/PBB/PBDE≤1000ppm, Cd≤100ppm	2	B
7			Valve rocker combin	T381;	4	B
8			Plate, push rod gui	T381;	2	B
9			Push rod	T370_整体式;	2	B
10			Lifter, Valve	T110; 含Hg/Cr6/Pb/PBB/PBDE≤1000ppm, Cd≤100ppm	2	B
11			Camshaft assy	T370;	2	B




曲柄连杆（Crankshaft）

序号	零部件件号	零部件名称	Description	规格状态	数量	易损属性
No.	Part No.				Reqd. QTY	CONSUMABLE GRADE
1			Piston ring combinati	T380;	1	A
2			Steel cable baffle ri	T110_活塞销挡圈;	2	B
3			Piston	T381_平顶,B款;	1	A
4			Piston pin	T110_Φ20×62;含Hg/Cr6/Pb/PBB/PBDE≤1000ppm,Cd≤	1	2
5			Connecting rod	T370_B款;工艺连杆螺栓	1	B
6			Connecting rod bolt	T370_B款;预涂胶	2	C
7			crankshaft	T370_A轴;	1	B
8			Balancing shaft	T370_A,齿加厚;	1	B
9			Flat washer	T370_内径17_外径30_厚度1.5;氧化Q07	2	C
10			Balancing shaft	T370_B,齿加厚;	1	B
11			Key	GB/T1095_L=54_6×6.3_A型;	1	B




曲轴箱盖 (Crankshaft Cover)

序号	零部件件号	零部件名称	Description	规格状态	数量	易损属性
No.	Part No.				Reqd. QTY	CONSUMABLE GRADE
1			Hexagon bolt with flange	GB/T 5789_M6_L=16; 镀蓝白锌Q16	3	C
2	150040019-0001	油泵盖	Oil pump cover	T370;	1	C
3	380840467-0001	密封圈	Seal ring	T370_机油泵密封圈_丙烯酸脂CII;	1	A
4	150010073-0001	机油泵部件	Components of oil pump	T381;	1	B
5	380650337-0001	油封	Oil seal	T110_d=35_D=52_b=7; 含Hg/Cr6/Pb/PBB/PBDE≤10	1	B
6			Hexagon bolt with flange	T370_M8_L=40_S=12; 镀蓝白锌Q16	10	C
7			ocation pin	T370_d=10_L=12;	2	C
8			Engine oil return block	T370_丙烯酸脂;	1	B
9	380630141-0002		Bearing	GB/T 276_6207;	1	B
10	171750044-0001		Components of governor	T381_B款;	1	B
11			Engine oil Strainer	T370_弧形;	1	A
12			Pressing plate for oil	T370;	1	C
13			Cover,Oil Strainer	T381_取消冲孔;	1	B
14			Hexagon bolt with flange	GB/T 5789_M6_L=25; 镀蓝白锌Q16	1	C



曲轴箱 (Crank Case Comp)

序号	零部件件号	零部件名称	Description	规格状态	数量	易损属性
No.	Part No.				Reqd. QTY	CONSUMABLE GRADE
1			Breather tube	T370_异型_丁腈橡胶_废气管;满足ROHS要求	1	A
2			Pin clip	T040_调速臂用;	1	B
3			Oil seal	T110_d=8_D=14_b=4;含Hg/Cr6/Pb/PBB/PBDE≤100	1	B
4			Flat washer	T370_内径8_外径16_厚度0.5;镀蓝白锌Q16	1	C
5			Speed regulating arm	T381;	1	B
6	110830037-0001	曲轴箱盖密封垫	Crankcase cover gasket	T381_interface(N-8092);	1	A
7			Bearing	GB/T 276_6207;	1	B
8			Seal ring	T370_D=11.7_d=2.5_丙稀酸脂;	1	A
9			Leaf valve	T370_压板加厚;	1	B
10			Hexagon bolt with flange	GB/T 5789_M6_L=12;镀蓝白锌Q16	3	C
11			PACKING, BREATHER CHAMBER	T370_无石棉软木橡胶板;	1	A
12			CAP,BREATHER CHAMBER	T370_A;镀蓝白锌 Q16	1	C
13			Bearing	GB/T 276_16003;	2	B
14			Oil seal	T110_d=35_D=52_b=7;含Hg/Cr6/Pb/PBB/PBDE≤100	1	A



消声器 (Muffler)

[illegible]